

# THAMAN RUBBER CO

WWW.THAMANRUBBER.COM

Chemical

Petroleum

Dry Bulk

## EVER-TITE®

The Original Quick-Connect  
Premium Cam & Groove Couplings

TRUCK  
ROUTE

## Tough-TITE

Industrial Cam & Groove Couplings

America's Most Responsive Warehouse

# EVER-TITE®

## MODEL 101 Double-Locking Handle Bleed-Off Couplers

Part C Aluminum - 316 Stainless Steel  
Part D Aluminum - Brass - 316 Stainless Steel

## MODEL 102 Positive-Locking Handle Coupler

Part C Aluminum - 316 Stainless Steel  
Part D Aluminum - Brass - 316 Stainless Steel

# Tough-TITE

### COUPLER ADAPTER 3" x 2" WITH RELIEF NIPPLE\*

1/2" - 3E3020BASSRN05      3/4" - 3E3020BASSRN07  
1" - 3E3020BASSRN10

### SPOOL ADAPTER 3" x 3" WITH RELIEF NIPPLE\*

1/2" - 3E30SASSRN05      3/4" - 3E30SASSRN07

### SPOOL COUPLER 2" x 2" WITH RELIEF NIPPLE\*

1/2" - 3E20BBSSRN05

### Spool Coupler 3" x 3" WITH RELIEF NIPPLE\*

1/2" - 3E30BBSSRN05

\*316 Stainless Steel



Model 101 Double Locking/Bleed Off Coupler (Part D)

Model 102 Positive Locking Handle Couplers (Part D)

Model 102 (Part C)

Coupler/Adapter with Relief Nipple

Spool Adapter with Relief Nipple

Spool Coupler with Relief Nipple

### REPLACEMENT CAM & GROOVE GASKETS 1/2" - 8"

Buna, Gum Lathe, EPDM, Neoprene, Fluoroelastomer, Butyl silicone, PTFE/Buna, PTFE/Elastomer

*Availability in the above materials varies Please consult with APG catalog or customer service for more info.*

**SAFETY CABLES**  
Hose End to Hose End  
Hose End to Tool End

**SAFETY VISORS**



Drop Elbows

Vapor Recovery System Parts

**TIGHT-FILL COUPLINGS**  
Right or Left - 4" or 3"

with or without Extension Kits

No Inlet End; Adapter Inlet End; Coupler Inlet End;  
Male Threaded Inlet End; Female Threaded Inlet End

### VAPOR RECOVERY SYSTEM PARTS

#### 4" Male Adapter with

340VRVAL 4" Female Pipe Thread & Poppet Valve

#### 4" Female Coupler with

340VRCAL 4" Hose Shank & Probe

34030VRCAL 3" Hose Shank & Probe

#### 4" Female Coupler & Probe with

340VRBBAL 4" Female Coupler & Probe

34030VRBBAL 3" Coupler

API Gravity Drop Couplings

Dust Cap

Dust Plug

LAT Adapter & LBT Coupler

Tight-Fill Couplings

Adapter Cap

Fill-Pipe Adapter

### API GRAVITY DROP COUPLINGS - ALUMINUM

#### Coupler X Adapter

4" x 3" - 340GDCAL30A

4" x 4" - 340GDCAL40A

#### Coupler X Coupler

4" X 4" - 340GDCAL40B

### DUST CAP OR DUST PLUG

Ever-Tite 1/2" - 8"

Tough-Tite 1/2" - 8"

Aluminum - Forged Brass - Brass - 316 Stainless Steel - Ductile Iron -  
Nylon - Polypropylene

*Availability in the above materials varies Please consult with APG catalog or customer service for more info.*

### LAT ADAPTER

2" - 6" Aluminum

### LBT COUPLER

2" - 6" Aluminum

### ADAPTER CAP - BRASS ONLY

33097MBR Locking Cap  
(Extension Handle)

330HBR97M  
Locking Handle Only

### FILL PIPE ADAPTER—BRASS ONLY

33097ABR

(3" Adapter Size & Pipe Size)

3403097AGMBR

(4" Adapter Size; 3" Pipe Size)

34097AGMBR

(4" Adapter Size & Pipe Size)



CHEMICAL

# New Products


DRY BULK

DOME LID GASKETS - 60 DUROMETER - .625" SQUARE C/S X 19.250" ID



13TT3513BN  
 13TT3513EP  
 13TT3513WB  
 13TT3513WH  
 13TT3513WNEO  
 13TT3513VT

20" BLACK NITRILE  
 20" BLACK EPDM  
 20" WHITE BUNA  
 20" WHITE HYPALON  
 20" WHITE NEOPRENE  
 20" BLACK FLUROELASTOMER



## Tank Truck Gaskets



13TT15313TFEVCUT-NA  
 3" TTMA TEFLON ENVELOPE W/NONASB FILLER  
 13TT15317TFEVCUT-NA  
 4" TTMA TEFLON ENVELOPE W/NONASB FILLER

13TT15201GSKNA 2" NON-ASBESTOS GASKET  
 13TT15313GSKNA 3" NON-ASBESTOS GASKET  
 13TT15317GSKNA 4" NON-ASBESTOS GASKET  
 13TT15601GSKNA 6" NON-ASBESTOS GASKET

13TF15202VST  
 PTFE VALVE SEAT—.500" THICK X 2.859" ID X 3.937" OD

13TT15201GSKCB  
 13TT15313GSKCB  
 13TT15317GSKCB  
 13TT15601GSKCB

13TT15313GSKGVT  
 13TT15317GSKGVT

13TT15181GSKCB  
 13TT15181GSKNA

13TT15266GSKCB  
 13TT15266GSKNA  
 13TT15266GSKGVT  
 13TT15266TFEVCUT-NA

13TT15905EP  
 13TT15977EP

2" TTMA CORK/RUBBER GASKET  
 3" TTMA CORK/RUBBER GASKET  
 4" TTMA CORK/RUBBER GASKET  
 6" TTMA CORK/RUBBER GASKET

3" TTMA GREEN FLUROELASTOMER FLANGE GASKET  
 4" TTMA GREEN FLUROELASTOMER FLANGE GASKET

3" TTMA SUMP CORK/RUBBER GASKET  
 3" TTMA SUMP NON-ASBESTOS GASKET

4" TTMA CORK/RUBBER SUMP GASKET  
 4" TTMA NON-ASBESTOS SUMP GASKET  
 4" TTMA GREEN FLUROELASTOMER SUMP GASKET  
 4" TTMA TEFLON ENVELOPE W/NONASB FILLER SUMP GASKET

3" EXTERNAL VALVE BONNETT GASKET EPDM DIE CUT  
 4" EXTERNAL VALVE BONNETT GASKET EPDM DIE CUT

## UNIVERSAL CROWFOOT FITTINGS

### Low Carbon Steel & Stainless Steel

Hose End - Female NPT - Male NPT - Dead end  
3-Way Connector

### Low Carbon Steel

4-Lug Hose End - 4-Lug Hose Female NPT

### Brass

Hose End - Female NPT - Male NPT



## ALUMINUM HANDWHEELS

Small 3TAVHW1  
Large 3TAVHW2



## BALL VALVES

Brass - Standard Port      Brass - Full Port

400 PSI WOG - 600 PSI WOG

Stainless Steel - Standard & Full Port

1000 PSI WOG



# Accessory



## PRESSURE GAUGES

Stainless Steel Case  
Liquid Filled

Brass Lower or Back Connection



## TTMA FLANGES & GASKETS

Round or Square - Aluminum  
Flued - Aluminum, Plain Steel  
Blind - Plain Steel

Flange X MNPT/FNPT - Aluminum, Plain Steel

1/8" Gaskets - Non-Asbestos or Cork/Rubber

Flange, Drain Sump, Square Flange



## MACHINED PLASTICS

Teflon Seals

## SPIRAL CLAMPS (LEFT or RIGHT)

1-1/2" TO 12"



## COUPLED RED AIR HOSE—307CAHX50

3/4" X 50'



## DOME LID BRAIDED PACKING

DRY (113000) OR LUBRICATED (113000L)

5/8" SQ X 68" LONG



## O-RINGS & O-RING KITS

Large selection of compounds & sizes



## Recommend maximum working pressures for Cam & Groove Couplings.

Material	Pressure Rating											
	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"	8"
Aluminum	250	250	250	250	250	250	150	125	100	75	75	50
Cast Brass	200	200	200	200	200	200	150	125	100	75	75	—
Forged Brass	350	350	350	350	350	350	250	250	100	—	—	—
Heavy Duty Cast Brass	300	300	300	300	300	225	200	200	—	—	—	—
Stainless Steel	250	250	250	250	250	250	200	200	100	75	75	—
Ductile Iron	—	—	—	—	125	125	—	100	100	—	—	—
Nylon	100	100	100	100	100	100	—	100	75	—	—	—
Polypropylene	100	100	100	100	100	100	—	100	75	—	—	—
Monel	250	250	250	250	250	250	200	200	150	75	75	—
Hastelloy C	250	250	250	250	250	250	200	200	150	75	75	—
Carpenter 20	250	250	250	250	250	250	200	200	150	75	75	—

**Liability Warning:** The proper selection and application of APG products is the end user and/or distributor's responsibility. APG has no warranty for loss that may occur due to a hose assembly not being properly selected or manufactured for the specific application. Cam and Groove Couplings are NOT designed for compressed gasses, compressed air, steam or propane applications.